ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	Product identifier	
	Product Name	Oz Heat / Just Heat / Prime Heat Liquid Chafing Fuel
	Alternative names	Liquid Wick Chafing Fuel
	Product code(s)	Not applicable
	Substance name	Diethylene Glycol
	CAS No.	111-46-6
	EC No.	203-872-2
1.2	Relevant identified uses of the substance or mixture	
	and uses advised against	
	Identified Use(s)	Liquid Chafing Fuel for food warming applications
	Uses Advised Against	Anything other than the above.
1.3	Details of the supplier of the safety data sheet	
	Company Identification	TANGSHAN BURAK HOTEL SUPPLIES CO., LTD.
		Tangshan Burak Hotel Supplies Co. Ltd
		Shijihuating Building B, Suite 2604
		No.99 Xinhua West Road
		Tangshan, Hebei, China. PC: 063000
	Telephone	+86 315 2346093
	Fax	+86-315-2344778/2345849
	E-Mail (competent person)	hankun@tangshanburak.com
1.4	Emergency telephone number	+86 315 2346093 (0800 - 1700 GMT+8hrs)
	Languages spoken	English spoken
SECTI	ION 2: HAZARDS IDENTIFICATION	
2.1	Classification of the substance or mixture	
2.1.1	The retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain	Acute Tox. 4; H302
2.2	Label elements	According to the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain
	Product Name	Oz Heat / Just Heat / Prime Heat Liquid Chafing Fuel
	Substance name	Diethylene Glycol
	CAS No.	111-46-6
	EC No.	203-872-2
	Hazard Pictogram(s)	
	hazare i rocegranite)	
		Warning

Hazard Statement(s) Precautionary Statement(s) H302: Harmful if swallowed. P102: Keep out of reach of children. P264: Wash hands and exposed skin thoroughly after handling. P301+P312+P330: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. P101: If medical advice is needed, have product container or label at hand. P501: Dispose of this material and its container to hazardous or special waste collection point. Do not dispose of with household waste.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758



Supplemental information

None

2.3 Other hazards

None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Г

Chemical identity of the substance	CAS No.	EC No.	UK-REACH Registration No.	%W/W
Diethylene glycol	111-46-6	203-872-2	-	100

SECTION 4: FIRST AID MEASURES

4.1	Description of first aid measures	
	Self-protection of the first aider	Ensure adequate ventilation. Avoid breathing vapours. Wear suitable protective clothing and gloves. Contaminated clothing should be laundered before reuse.
	Inhalation	IF INHALED: Keep patient at rest. Remove to fresh air immediately. Seek medical attention if ill effects occur. If breathing is difficult, oxygen should be given by a trained person. If symptoms develop, obtain medical attention.
	Skin Contact	IF ON SKIN (or hair): Wash with plenty of water. If irritation (redness, rash, blistering) develops, get medical attention. Remove contaminated clothing and wash clothing before reuse.
	Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
	Ingestion	IF SWALLOWED: Rinse mouth. Give 200-300mls (half pint) water to drink. Never give anything by mouth to an unconscious person. Call a POISON CENTER/doctor if you feel unwell.
4.2	Most important symptoms and effects, both acute and delayed	Harmful if swallowed.
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing media	
	Suitable Extinguishing Media	In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide.
	Unsuitable extinguishing Media	None known. Direct water jet may spread the fire.
5.2	Special hazards arising from the substance or	Not flammable. Toxic fumes may be produced in a fire. (Carbon monoxide,
	mixture	Carbon dioxide).
5.3	Advice for fire-fighters	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Combustion may cause toxic fumes. Oxides of carbon, Hydrocarbons. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

SAFETY DATA SHEET

Version: 1.0 Revision date: 22.12.2022

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758



SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Caution - spillages may be slippery. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing vapours.
6.2	Environmental precautions	Do not allow to enter drains, sewers or watercourses.
6.3	Methods and material for containment and cleaning up	Small spillages: Absorb spillage in earth or sand. Transfer to a container for disposal or recovery. Use only non-sparking tools. Ventilate the area and wash spill site after material pick-up is complete. Do not dispose of with household waste. Dispose of waste according to applicable legislation.
		Large spillages: Contain spill and cover if possible to prevent spreading of spilled material and reduce dust. Dispose of wastes in an approved waste disposal facility.
6.4	Reference to other sections	See Section: 8, 13.
SECTI	ON 7: HANDLING AND STORAGE	
7.1	Precautions for safe handling	Ensure adequate ventilation. Handle and open container with care. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
7.2	Conditions for safe storage, including any incompatibilities	Store in a cool/low-temperature, well-ventilated (dry) place. Store products enclosed, in original packing. Keep container tightly closed. Protect from light.

Keep away from heat, hot surfaces, sparks, open flames and other ignition

Stable under normal conditions. Suitable materials: aluminum alloy, Stainless

sources. No smoking. Keep away from food, drinks and animal food.

Keep in a cool place. Recommended: 4 - 49°C

steel, High density polyethylene. Duration: 12 Months

Storage temperature Storage life

Incompatible materials Specific end use(s)

7.3

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters**

8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
2,2'-Oxydiethanol	111-46-6	23	101	-	-	-

Strong oxidising agents.


See Section: 1.2.

Source: WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2	Biological limit value	Not established.
8.1.3	PNECs and DNELs	Not established.
8.2 8.2.1	Exposure controls Appropriate engineering controls	Ensure adequate ventilation. No special requirements.
8.2.2	Individual protection measures, such as personal protective equipment (PPE)	Use personal protective equipment as required. Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier. Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Wash hands before eating, drinking or smoking.
	Eye/face protection	Eye Protection: Not normally required.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758





8.2.3 **Environmental Exposure Controls** Not applicable

Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties				
	Appearance	Colourless liquid			
	Odour	Characteristic odour			
	Odour Threshold	Not determined			
	pH	6			
	Melting point/Range	- 6.5°C			
	Boiling Point	245.5°C			
	Flash Point	> 138°C [Closed cup]			
	Evaporation Rate	Not determined			
	Flammability (solid, gas)	Not applicable. Not flammable.			
	Flammable Limits	Not determined			
	Vapour pressure	0.008 hPa @ 25°C			
	Vapour density	Not determined			
	Relative density	1.12 g/cm ³			
	Solubility(ies)	Immiscible with water.			
	Partition coefficient: n-octanol/water	- 1.98 @ 20°C			
	Auto-ignition temperature	372°C			
	Decomposition Temperature	Not determined			
	Viscosity	30 mPas @ 25°C			
	Explosive properties	Non-explosive			
	Oxidising properties	Not oxidising.			
9.2	Other information	Not applicable			

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	Reacts violently with oxidizing substances.
10.4	Conditions to avoid	Avoid prolonged storage at elevated temperature. Keep away from heat, sources of ignition and direct sunlight.
10.5	Incompatible materials	Strong oxidising agents.
10.6	Hazardous decomposition product(s)	Combustion may cause toxic fumes. Oxides of carbon, Hydrocarbons.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758



SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
	Acute toxicity - Ingestion	Acute Tox. 4; H302: Harmful if swallowed.
		LD50 (oral,rat) mg/kg: 500 (Acute Toxicity Estimate Mixture Calculation).
	Acute toxicity - Inhalation	Based upon the available data, the classification criteria are not met.
		No data
	Acute toxicity - Skin Contact	Based upon the available data, the classification criteria are not met.
		LD50 (skin,rabbit) mg/kg: 13300 mg/kg bw/day (Unnamed, 1978)
	Skin corrosion/irritation	Based upon the available data, the classification criteria are not met.
		Weight of evidence approach (OECD 439)
	Serious eye damage/irritation	Based upon the available data, the classification criteria are not met.
		Not irritating to eyes (rabbit) (Carpenter, 1946)
	Respiratory or skin sensitization	Based upon the available data, the classification criteria are not met.
		No data
	Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
		In vitro: Negative (OECD 471)
		In vivo: Negative (mouse) (OECD 474)
	Carcinogenicity	Based upon the available data, the classification criteria are not met.
		NOAEL (rat) mg/kg bw/day 1160. No effects observed (Hiasa, 1990)
	Reproductive toxicity	Based upon the available data, the classification criteria are not met.
		Reproductive toxicity: NOAEL (mouse) mg/kg bw/day 3060 (Unnamed, 1984)
		Developmental toxicity: NOEL (rat) ml/kg bw/Day 1 (OECD 414)
	STOT - single exposure	Based upon the available data, the classification criteria are not met.
		No adverse effects observed on general toxicity endpoints
	STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
		Oral: NOAEL (rat) mg/kg bw/day 300. Available hazard data do not provide
		quantitative dose-response information (Unnamed, 1976)
		Inhalation: No data
		Dermal: NOAEL (Dog) mg/kg bw/day 2220. Kidney effects were observed at this
		dose: >8000 mg/kg (OECD 410)
	Aspiration hazard	Based upon the available data, the classification criteria are not met.
		No data
11.2	Other information	None

SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Based upon the available data, the classification criteria are not met.
		LC50 (fish) mg/l: 75200 (96 hour) (Geiger, 1990)
		Read across: CAS No. 107-21-1. NOEC (Fish) mg/l: 15380 (7 Day) (Unnamed,
		1985)
12.2	Persistence and degradability	Readily biodegradable.
12.3	Bioaccumulative potential	Bioconcentration factor (BCF) : -1.5 log Kow.
12.4	Mobility in soil	Not determined.
12.5	Results of PBT and VPVB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Dispose of this material and its container as hazardous waste. Dispose of empty containers and wastes safely. Dispose of contents in accordance with local, state or national legislation.
	Waste classification according to Directive 2008/98/EC	HP 6 Acute toxicity
	(Waste Framework Directive)	
13.2	Additional Information	None

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758



SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

		ADR/RID	IMDG	ICAO/IATA	
14.1	UN number	Not classified	Not classified	Not classified	
14.2	UN Proper Shipping Name	Not classified	Not classified	Not classified	
14.3	Transport hazard class(es)	Not classified	Not classified	Not classified	
14.4	Packing Group	Not classified	Not classified	Not classified	
14.5	Environmental hazards	Not classified	Not classified as a	Not classified	
			Marine Pollutant.		
14.6	Special precautions for user	See Section: 2			
14.7	Transport in bulk according to Annex II of	Not applicable.			
	MARPOL73/78 and the IBC Code				
14.8	Additional Information	Not applicable.			

SECTION 15: REGULATORY INFORMATION

15.1 15.1.1					
	Use restriction according to REACH annex XVII, no.:	3			
	Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III- Directive]	not relevant / not applicable			
	Directive 2010/75/EU on industrial emissions	This substance/mixture does not contain any volatile organic compounds in the sense of Directive 2010/75/EU.			
	Restrictions of occupation:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).			
	To follow:	Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work			
15.1.2	National regulations				
	United Kingdom				
	GB CLP – Mandatory classification and labelling list	The substance is listed.			
	PIC (Prior Informed Consent) Regulation	The substance is not listed.			
	UK REACH – Annex XIV (Authorisation List)	The substance is not listed.			
	UK REACH – Annex XVII (Restrictions)	The substance is not listed.			
	UK REACH Grandfathered registrations notified substance list	The substance is listed.			
	Germany				
	Water hazard class (WGK)	slightly hazardous to water (WGK 1)			
15.2	Chemical Safety Assessment	A REACH chemical safety assessment has not been carried out.			

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: not applicable - V1.0

 Date of First Issue:
 22.12.0222

 Date of Issue:
 22.12.0222

References:

Existing Safety Data Sheet (SDS). Existing ECHA registration(s) for Diethylene glycol (CAS No. 111-46-6). Harmonised Classification(s) for Diethylene glycol (CAS No. 111-46-6). All test data taken from existing ECHA registrations for the substances mentioned.

Literature References:

- 1. Carpenter CP, Smyth HF. 1946. Chemical burns of the rabbit cornea. Am J Ophthal 29: 1363-1372.
- 2. Hiasa Y, Kitahori Y, Morimoto J, Konishi N, Ohshima M. 1990. Absence of carcinogenic or promoting effects of diethylene glycol on renal tumorigenesis in rats. J Toxicol Pathol 3: 97-104.

SAFETY DATA SHEET

Version: 1.0 Revision date: 22.12.2022

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830 AS AMENDED BY UK REACH REGULATIONS SI 2019/758



Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830. Compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

LEGEND

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
BS	British standard
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DIN	German Institute for Standardisation
DNEL	Derived no effect level
EU	European Union
EC	European Community
EC50	Effect concentration; 50 %
EL50	Effective loading rate; 50 %
ECHA	European Chemicals Agency
EN	European Standard
GB	Great Britain
HSE	Health and Safety Executive
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IEC	International Electrotechnical Commission
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
LC50	Lethal concentration at which 50% of the population is killed
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
MARPOL	The International Convention for the Prevention of Pollution from Ships
M-factor	Multiplying factor
NOAEL	No Observed Adverse Effect Level
NOAEC	No observed adverse effect concentration
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
vPvB	very Persistent and very Bioaccumulative
UK	United Kingdom
UN	United Nations
VOC	Volatile organic compounds

Hazard classification / Classification code:

Acute Tox. 4; Acute Toxicity, Category 4

Hazard Statement(s) H302: Harmful if swallowed.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. TANGSHAN BURAK HOTEL SUPPLIES CO., LTD. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. TANGSHAN BURAK HOTEL SUPPLIES CO., LTD. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS) Not available