Version: 2.0 Revision date: 22.12.2022



2020/878



# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Pure Light Liquid Oil Candles

Alternative names Liquid Oil Cartridges / Liquid Oil Candles

Product code(s) 1502, 1503, 1508, 1510, 1511, 1512, 1513, 1514, 1516, 1517, 1518,

1520, 1521, 1530, 1532, 1540, 1541, 1550, 1560, 01509

 Substance name
 Tetradecane

 CAS No.
 629-59-4

 EINECS No.
 211-096-0

REACH No. 01-2119485515-31-0004
Unique Formula Identifier (UFI) 01-2119485515-31-0004
unique Formula Identifier (UFI) 01-2119485515-31-0004

Nanoform The product does not contain nanoparticles.

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s)

As table lighting inserted into table lamps
Uses Advised Against

Anything other than the above.

1.3 Details of the supplier of the safety data sheet

Company Identification TANGSHAN BURAK HOTEL SUPPLIES CO., LTD.

Tangshan Burak Hotel Supplies Co. Ltd

Xiaodaodi Village East, Chahe Town, Fengnan District

Tangshan, Hebei, China. PC: 064002

Telephone +86 315 2346093

 Fax
 +86-315-2344778/2345849

 E-Mail (competent person)
 <a href="mailto:hankun@tangshanburak.com">hankun@tangshanburak.com</a>

1.4 Emergency telephone number

Emergency Phone No. +86 158 3050 6182 (24hrs)

Languages spoken English spoken

# **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

**2.1.1 Regulation (EC) No. 1272/2008 (CLP)** Asp. Tox. 1; H304

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Pure Light Liquid Oil Candles

 Substance name
 Tetradecane

 CAS No.
 629-59-4

 EINECS No.
 211-096-0

Hazard Pictogram(s)



Signal Word(s) DANGER

Hazard Statement(s) H304: May be fatal if swallowed and enters airways.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

Version: 2.0 Revision date: 22.12.2022



2020/878



P331: Do NOT induce vomiting.

P405: Store locked up.

P501: Dispose contents/container accordance of with

local/regional/national/international regulations.

EUH066: Repeated exposure may cause skin dryness or cracking. Supplemental information

2.3 Other hazards Combustible liquid. This substance does not meet the PBT/vPvB criteria of

REACH, Annex XIII.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

SUBSTANCE	CAS No.	EC No.	REACH Registration No.	%W/W
Tetradecane	629-59-4	211-096-0	01-2119485515-31-0004	100

# **SECTION 4: FIRST AID MEASURES**



4.3

5.3

4.1 Description of first aid measures

> Self-protection of the first aider Ensure adequate ventilation. Avoid breathing vapours. Wear suitable protective clothing and gloves. Contaminated clothing should be laundered before reuse.

> Inhalation IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in

a position comfortable for breathing. Apply artificial respiration only if patient is

not breathing but do not use mouth to mouth resuscitation.

Skin Contact IF ON SKIN (or hair): Wash with plenty of water. If irritation (redness, rash,

blistering) develops, get medical attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get

medical advice/attention.

Ingestion IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce

vomiting. If vomiting occurs spontaneously, keep head below hips to prevent

aspiration into the lungs.

4.2 Most important symptoms and effects, both acute

and delayed Indication of any immediate medical attention and

May be fatal if swallowed and enters airways. Causes skin irritation.

special treatment needed

Treat symptomatically.

# SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing Media

In case of fire use water fog. Dry chemical powder, carbon dioxide, sand or earth

may be used for small fires only.

Unsuitable extinguishing Media None known. Direct water jet may spread the fire.

5.2 Special hazards arising from the substance or

mixture

Combustible liquid. Combustion may cause toxic fumes. (Carbon monoxide, Carbon dioxide)

Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Remove all ignition sources. Ensure adequate ventilation. Wash hands thoroughly after handling. Wear appropriate personal protective equipment, avoid direct contact. Do not ingest. May be fatal if swallowed and enters airways. Avoid breathing vapours. Ensure that the equipment is adequately grounded.

6.2 **Environmental precautions**  Avoid release to the environment.

Version: 2.0 Revision date: 22.12.2022



# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

6.3 Methods and material for containment and cleaning Land spill: Eliminate sources of ignition. Stop leak if safe to do so. Absorb spillage in inert material and shovel up. Transfer to a container for disposal or recovery. Use water spray to cool and disperse vapours and protect personnel. Ventilate the area and wash spill site after material pick-up is complete. Use only non-sparking tools. Avoid run off to waterways and sewers. Dispose of contents in accordance with local, state or national legislation.

Water spill: Stop leak if safe to do so. Soak up with inert absorbent. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate

regulatory body. See Section: 8, 13

6.4 Reference to other sections

# **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling

> Avoid contact with skin, eyes or clothing. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a cool/low-temperature, well-ventilated (dry) place. Store products

Ensure adequate ventilation. Use personal protective equipment as required.

7.2 Conditions for safe storage, including any incompatibilities

enclosed, in original packing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Storage temperature Incompatible materials Ambient temperatures. Stable under normal conditions. Unsuitable containers: Natural rubber, Polystyrene, Ethylene-proplyene-diene

monomer (EPDM). See Section: 1.2

7.3 Specific end use(s)

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 **Occupational Exposure Limits** Not established.

8.1.2 Biological limit value Not established.

8.1.3 **PNECs and DNELs** Not established.

8.2 **Exposure controls** 

8.2.1 Appropriate engineering controls Ensure adequate ventilation Guarantee that the eye flushing systems and safety showers are located close to the working place.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Individual protection measures, such as personal 8.2.2 protective equipment

Use personal protective equipment as required. Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier. Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing.

Eye/face protection



Eye Protection: Not normally required. Recommended: Wear suitable face shield.

Skin protection



Wear suitable gloves if prolonged skin contact is likely. Recommended: Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Wear suitable coveralls to prevent exposure to the skin.

Version: 2.0 Revision date: 22.12.2022



# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &

2020/878

Respiratory protection



Respiratory protection is not necessary if room is well ventilated. A suitable mask

with filter type A (EN141 or EN405) may be appropriate.

Recommended: EN149, EN143.

Not applicable Thermal hazards

8.2.3 **Environmental Exposure Controls** Avoid release to the environment.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

> Physical state Oily liquid Colour Clear Odour Odourless

Melting point/freezing point 6 °C (ASTM D 5950)

Boiling point or initial boiling point and boiling range 252 - 260 °C (ASTM E537-07)

Flammability

Lower and upper explosion limit not determined 105 °C (Closed cup) Flash point Auto-ignition temperature not determined Decomposition temperature not determined not determined

Kinematic viscosity 2.81 mm<sup>2</sup>/s (20 °C)

Insoluble in water. (QSAR, SPARC v4.2) Solubility

Partition coefficient: n-octanol/water (log value) 8.11 (QSAR, SPARC v4.2) Vapour pressure < 5 Pa @ 20 \*C (NFT 20-048) Density and/or relative density 0.763 g/cm3 (ASTMS D 4052-96)

Relative vapour density not determined Particle characteristics not applicable - solid

9.2 Other information

> Explosive properties Not explosive. Oxidising properties Not oxidising.

# **SECTION 10: STABILITY AND REACTIVITY**

10.1 Stable under normal conditions. Reactivity 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions None known. Hazardous polymerisation will not occur.

10.4 Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition

Combustible

sources. No smoking.

10.5 Incompatible materials Natural rubber, Polystyrene, Ethylene-proplyene-diene monomer (EPDM). 10.6 Hazardous decomposition product(s) Combustion may cause toxic fumes. (Carbon monoxide, Carbon dioxide)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on hazard classes as defined in

> Regulation (EC) No 1272/2008 Acute toxicity - Ingestion

Based upon the available data, the classification criteria are not met.

LD50 (oral,rat) mg/kg: >15 000 mg/kg bw/day (OECD 423)

Acute toxicity - Inhalation Based upon the available data, the classification criteria are not met.

LC50 (Inhalation, rat) mg/m3: >4 951 (OECD 403)

Acute toxicity - Skin Contact Based upon the available data, the classification criteria are not met.

> LD50 (skin,rabbit) mg/kg: >5 000 mg/kg bw/day (OECD 402) EUH066: Repeated exposure may cause skin dryness or cracking.

Skin corrosion/irritation Serious eye damage/irritation Based upon the available data, the classification criteria are not met.

Not irritating to eyes (OECD 405)

Respiratory or skin sensitization Based upon the available data, the classification criteria are not met.

Version: 2.0 Revision date: 22.12.2022

STOT - single exposure



# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &

2020/878

Respiratory sensitization: No data

Skin sensitization: Negative (Guinea pig) (OECD 406)

Germ cell mutagenicity Based upon the available data, the classification criteria are not met.

In vitro: Negative (OECD 471)

In vivo: Negative (mouse) (OECD 474)

Carcinogenicity Based upon the available data, the classification criteria are not met.

It is unlikely to present a carcinogenic hazard to man.

Reproductive toxicity Based upon the available data, the classification criteria are not met.

Reproductive toxicity: NOEC (rat) > 400 ppm. Effects on fertility - Negative (OECD

413)

Developmental toxicity: NOAEL (rat) mg/kg bw/day >2000. Maternal toxicity: NOAEL mg/kg bw/day 500. Studies in animals have shown that exposures

produce no teratogenic effects. (OECD 413)

Based upon the available data, the classification criteria are not met.

No adverse effects observed on general toxicity endpoints

STOT - repeated exposure Based upon the available data, the classification criteria are not met.

Oral: NOAEL (rat) mg/kg bw/day >1000 (OECD 422)

Inhalation: NOAEL (rat) mg/m $^3$  10186. No STOT classification is proposed, as none of the observed effects were considered severe enough to merit

classification by the inhalation route (OECD 413)

Dermal: No data

Aspiration hazard Asp. Tox. 1; May be fatal if swallowed and enters airways.

Viscosity: 2.81 mm<sup>2</sup>/s @ 20 °C (ASTM D 446/11, Unnamed, 2010).

Tetradecane = Hydrocarbon.

11.2 Other information

11.2.1 Endocrine disrupting properties This substance does not have endocrine disrupting properties with respect to

humans.

**11.2.2** Other information None known

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1	Toxicity	Based upon the available data, the classification criteria are not met.		
		Acute toxicity: LL50 (Fish) mg/l >10 < 30 (96 hour) (OECD 203)		
		Chronic Toxicity: NOELR mg/l >1000 (28 days) (QSAR)		
12.2	Persistence and degradability	Readily biodegradable. 89.8% @ 28 days (OECD 301)		
12.3	Bioaccumulative potential	BCF: 962.9 l/kg		
12.4	Mobility in soil	Log Kow: 6.98		
12.5	Results of PBT and VPVB assessment	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.		
12.6	Endocrine disrupting properties	This substance does not have endocrine disrupting properties with respect to non-		
		target organisms.		
12.7	Other adverse effects	None known		

# **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1	Waste treatment methods	Dispose of this material and its container as hazardous waste. Dispose of empty		
		containers and wastes safely. Do not apply pressure to empty containers. Dispose		
		of contents in accordance with local, state or national legislation.		
	Waste classification according to Directive 2008/98/EC	HP 5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity		
	(Waste Framework Directive)			
13.2	Additional Information	None		

# **SECTION 14: TRANSPORT INFORMATION**

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

14.1	UN number or ID number	ADR/RID None	<b>ADN</b> None	IMDG None	IATA/ICAO None
14.2	UN proper shipping name	None	None	None	None
14.3	Transport hazard class(es)	None	None	None	None

Page: 5 of 7

Version: 2.0 Revision date: 22.12.2022



# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

 14.4
 Packing group
 None
 None
 None
 None

 14.5
 Environmental hazards
 Not classified
 Not
 Not
 Not Not classified

classified classified

as a Marine Pollutant.

14.6 Special precautions for user See Section: 214.7 Maritime transport in bulk according to IMO Not applicable.

instruments

14.8 Additional Information None

# **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture 15.1.1 EU regulations

Use restriction according to REACH annex XVII, no.:

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-

Directive]

Directive 2010/75/EU on industrial emissions

This substance/mixture does not contain any volatile organic compounds in the

sense of Directive 2010/75/EU.

not relevant / not applicable

Regulation (EU) 649/2012 (PIC)

The substance is not listed.

Regulation (EC) 2019/1021 [POP Regulation]

The substance is not listed.

Restrictions of occupation: Observe restrictions to employment for juvenils according to the 'juvenile work

protection guideline' (94/33/EC).

To follow: Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of

workers from the risks related to chemical agents at work

15.1.2 National regulations

Ireland

S. I. No. 619/2001 The substance is not listed.

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

15.2 Chemical Safety Assessment Not available.

# **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: New format has been issued, all sections have been updated to include new information. Review SDS with care.

**Date of First Issue:** 22.05.2018 **Date of issue:** 22.12.2022

References:

Existing ECHA registration(s) for Tetradecane (CAS No. 629-59-4)

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

**LEGEND** 

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DIN German Institute for Standardisation

DNEL Derived no effect level
EU European Union
EC European Community
EC50 Effect concentration; 50 %

Version: 2.0 Revision date: 22.12.2022



# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

EL50 Effective loading rate; 50 % ECHA European Chemicals Agency

EN European Standard

IATA International Air Transport Association
ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

ISO International Organization for Standardization

LC50 Lethal concentration at which 50% of the population is killed

LOAEC Lowest Observed Adverse Effect Concentration

LOAEL Lowest Observed Adverse Effect Level

MARPOL The International Convention for the Prevention of Pollution from Ships

NOAEL No Observed Adverse Effect Level
NOAEC No observed adverse effect concentration

OECD Organisation for Economic Cooperation and Development

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted No Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

vPvB very Persistent and very Bioaccumulative

UN United Nations

VOC Volatile organic compounds

# Hazard classification / Classification code:

Hazard Statement(s)

Asp. Tox. 1; Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters airways.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

### **Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. TANGSHAN BURAK HOTEL SUPPLIES CO., LTD. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. TANGSHAN BURAK HOTEL SUPPLIES CO., LTD. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

# Annex to the extended Safety Data Sheet (eSDS)

Not available.